広島あさがお研究会

芽切り: 芽切りしすぐ播く 漬置き: 一晩、水に浸す ⇒結果: 漬置きはあまり意味を成さない・芽切りは爪切りを使用 天気、気温の状況にもよるが漬置きはむしろ発芽が遅い(五月が丘)

名称等	播種数		播種日時	発芽	5/21 発芽	発芽率%		
正木 石化 桃 14	7	芽切り	5/6 pm1.00	5/10	6	86		正木 木立
青並葉木立紅筒白丸咲	4	芽切り	5/6 pm1.00	5/10	4	100		
正木 13E	7	芽切り	5/6 pm1.00	5/10	6	86		正木 石化 23
黄林風孔雀立田葉石化白切咲	10	芽切り	5/6 pm1.00	5/10	4	40		
出物 渦小人 837J3	5	芽切り	5/6 pm1.00	5/10	4	80		正木 大輪 8
黄斑入蝉葉青吹掛絞丸咲大輪(初霜)	3	芽切り	5/6 pm1.00	5/10	2	67		正木 木立覆輪
青斑入蜻蛉葉木立桃覆輪筒白丸咲	4	芽切り	5/6 pm1.00	5/10	4	100		
出物 蝉葉 8-2	3	芽切り	5/6 pm1.00	5/10	3	100		花は小さいがはが面白い
正木 ハンギング	4	芽切り	5/6 pm1.00	5/10	4	100		正木 石化 18
青斑入孔雀葉石化藤色丸咲	2	芽切り	5/6 pm1.00	5/10	2	100		
正木 O·N	4	芽切り	5/6 pm1.00	5/10	1	25		
出物 蝉葉 2-2	4	芽切り	5/6 pm1.00	5/10	3	75		
青針葉縮緬葉采咲 627	5	漬置き	5/15 am7:00	5/21	4	80		歴史
青縮緬立田蜻蛉雨龍葉車咲 515	5	漬置き	5/15 am7:00	5/21	5	100		
青蜻蛉南天葉淡青地藤紫 597	5	漬置き	5/15 am7:00	5/21	4	80		
青斑入蜻蛉葉木立紅覆輪星咲 366	5	漬置き	5/15 am7:00	5/21	5	100		
青水晶斑入林風孔雀葉石化桃丸咲	3	漬置き	5/16 am7:00	5/21	3	100		
黄握爪龍葉紅総風鈴獅子咲牡丹 Q0442	6	漬置き	5/16 am7:00	5/21	4	67		
黄鍬形葉吹詰茶丸咲牡丹	6	漬置き	5/16 am7:00	5/21	3	50		
平和の泉、初霜、鼻葉、南天葉、寿老	8	漬置き	5/16 am7:00	5/21	4	50		
葉、車咲、木立、垂れ、石化、ネパール	10	芽切り	5/21 am7:00		0	0		昨年の講座で貰った種子
産原種があるかも(野生)H24.5.26	9	芽切り	5/22 am7:00		0	0		
	119				75			

日毎管理												;	福	田	敏	彦	JO,)変	elt	拿	尵	東	找	音	2	録	_	2												
広島あさがお研究会		Г										5		月]												6 月													
	日	6	7	8	9	10	11	12	13		16															31	1	2	3	4							11	12	13	14
	曜日	月	火	水	木	金		_	月	_	_	_	_	日	_	_		木	金	±	日	月	火	水	木	金	±	日	月	火	水	木	金	±	日	月	火	水	木	金
	気温	24	24	24	24	17 T					26									+	-	-						\dashv	-								H	\Box	H	Н
	天気		*			Į,		**	**					Į,	*	T				+	+	+	1	4	4		<u> </u>	\dashv	<u> </u>	<u> </u>	_	_					\dashv	\dashv	닏	\dashv
正木 石化 桃 14	7		-		75						4	4		-	4	+	6/7			-	4	4	4				_	4	4	-							$\vdash \mid$	\vdash	Ш	Н
青並葉木立紅筒白丸咲	4	9			75												4/4																				Ц	\vdash	Ш	Ш
正木 13E	7	9				75											6/7	Щ																			Ш	Ш	Ш	Ш
黄林風孔雀立田葉石化白切咲	10	•						346									4/10																				Ш			Ш
出物 渦小人 837J3	5	•				346											4/5																							
黄斑入蝉葉青吹掛絞丸咲大輪(初霜)	3					7											2/3																							
青斑入蜻蛉葉木立桃覆輪筒白丸咲	4	•				4											4/4																							П
出物 蝉葉 8-2	3	•			346												3/3																				\Box			П
正木 ハンギング	4	•				346											4/4																				П			П
青斑入孔雀葉石化藤色丸咲	2	•				345											2/2																				П			\Box
正木 O·N	4	•				346				漬	ナ置る	きは	最短	豆で 6	6日間	間	1/4																							
出物 蝉葉 2-2	4	•				346				発き	非にな	かか	つた	•			3/4																							
青針葉縮緬葉采咲 627	5				:00: 目日					•					3	46	4/5																							
青縮緬立田蜻蛉雨龍葉車咲 515	5	の	朝と	いう	عے	:				•				8	76		5/5																							
青蜻蛉南天葉淡青地藤紫 597	5	は. 日:	、早 半て	発き	のは 芽	73				•						4	4/5																							
青斑入蜻蛉葉木立紅覆輪星咲 366	5									•						4	5/5																							
青水晶斑入林風孔雀葉石化桃丸咲	3										•					4	3/3																							
黄握爪龍葉紅総風鈴獅子咲牡丹 Q0442	6										•				8	A	4/6																							
黄鍬形葉吹詰茶丸咲牡丹	6										•				8	Ye	3/6																							
平和の泉、初霜、鼻葉、南天葉、寿老	8										•				9	48	4/8																							
平和の泉、初霜、鼻葉、南天葉、寿老葉、東咲、木立、垂れ、石化、ネパール	10																																							
産原種があるかも(野生)H24.5.26	9																6																							
	119															75/	119																							







